

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| S1    | 2    | ("6339775").PN.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/06 09:41 |
| S2    | 21   | ("5692181"   "5706495"   "5708828"   "5721903"   "5781911"   "5794228"   "5794229"   "5794246"   "5826258"   "5832496"   "5842213"   "5870746"   "5870747"   "5873102").PN. OR ("6339775").URPN. | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 09:57 |
| S3    | 2    | ("6618733").PN.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/06 09:57 |
| S4    | 8    | ("5206951"   "5499371"   "5634124"   "5809297"   "5819086"   "5872973"   "5930783"   "6499021").PN. OR ("6618733").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:19 |
| S5    | 0    | object near7 (database\$1 or data near2 base) and (primary near2 key\$1) and (RDBMS or relational adj database adj management adj system)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:24 |
| S6    | 0    | (object near7 (database\$1 or data near2 base)) and (primary near2 key\$1) and (RDBMS or relational adj database adj management adj system)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:24 |
| S7    | 498  | (RDBMS or relational adj database adj management adj system) and (object near5 data) and (primary near2 key\$1)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:33 |
| S8    | 216  | (RDBMS or relational adj database adj management adj system) and (object near5 data) and (primary near2 key\$1) and (trigger or log\$3 with timestamp)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:28 |
| S9    | 12   | (RDBMS or relational adj database adj management adj system) same ((object near5 data) and (primary near2 key\$1)) and (trigger or log\$3 with timestamp)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:32 |
| S10   | 0    | (RDBMS or relational adj database adj management adj system) same ((object near5 data) same(primary near2 key\$1)) same(trigger or log\$3 with timestamp)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:32 |
| S11   | 2    | (RDBMS or relational adj database adj management adj system) same ((object near5 data) same(primary near2 key\$1)) and (trigger or log\$3 with timestamp)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:32 |
| S12   | 454  | (RDBMS or relational adj database adj management adj system) and (object near5 (database or data near2 base)) and (primary near2 key\$1)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:34 |
| S13   | 3    | S12 and ((trigger or (log\$3 near3 (report\$5 or scrap\$5)))same timestamp)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:38 |
| S14   | 2    | S12 and (( (log\$3 near3 (report\$5 or scrap\$5)))same timestamp)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:39 |
| S15   | 0    | S12 and (data near5 transform\$5 same timestamp same log\$5 same report\$5)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:40 |
| S16   | 1    | S12 and (data near5 transform\$5 and timestamp same log\$5 same report\$5)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/06 10:40 |
| S17   | 3    | (RDBMS or relational adj database adj management adj system) near7 (object same (primary near2 key\$1))  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/07 15:08 |
| S18   | 10   | (RDBMS or relational adj database adj management adj system) near7 (object and (primary near2 key\$1))   | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/07 15:47 |
| S19   | 0    | (RDBMS or relational adj database adj management adj system) near7 (object and (primary near2 key\$1)same (log or history))  | US-PGPUB;<br>USPAT;<br>USOCR               | OR               | ON      | 2005/06/07 15:12 |

|     |      |  |  |    |     |                  |
|-----|------|--|--|----|-----|------------------|
| S20 | 0    | (RDBMS or relational adj database adj management adj system) near7 (object and (primary near2 key\$1)and (log or history))   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:12 |
| S21 | 0    | (RDBMS or relational adj database adj management adj system) near7 (object and (primary near2 key\$1) and (transaction near5 history))   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:15 |
| S22 | 14   | ((("5822410") or ("5799286") or ("5765142") or ("5696906") or ("5515098") or ("5381332") or ("5884284")).PN.   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/07 15:16 |
| S23 | 87   | ("4346442"   "4422459"   "4684980"   "4695880"   "4754426"   "4761684"   "5019900"   "5089885"   "5166976"   "5185794"   "5202929"   "5206722"   "5220501"   "5243647"   "5251324"   "5267312"   "5280572"   "5283819"   "5287270"   "5291477"   "5291554"   "5303229"   "5311325"   "5319455"   "5321541"   "5325290"   "5347632"   "5359642"   "5592551"   "5696906"   "5727055").PN. OR ("5884284").URPN. | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:17 |
| S24 | 16   | ("4734564"   "5491742"   "5594791"   "5615408"   "5644619").PN. OR ("5822410").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:32 |
| S25 | 43   | ("4843548"   "4851999"   "4862376"   "4875162"   "5016170"   "5089970"   "5101352"   "5189608"   "5272628").PN. OR ("5381332").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:46 |
| S26 | 1449 | object near7 (database or data near2 base) and (primary near2 key\$1)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:47 |
| S27 | 364  | S26 and RDBMS  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:48 |
| S28 | 303  | S27 and (timestamp or date)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 15:48 |
| S29 | 68   | S27 and (timestamp )   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 16:10 |
| S30 | 2    | ("6510432").PN.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/07 16:10 |
| S31 | 12   | ("5732214"   "5751997"   "5761673"   "5764972"   "5903889"   "5918214"   "5931901"   "5956733"   "6289382"   "6345288"   "6434568").PN. OR ("6510432").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/07 16:11 |

| Ref # | Hits  | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|--|------------------|---------|------------------|
| S1    | 65156 | data near5 (warehous\$3 or min\$5)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:25 |
| S2    | 2815  | relational adj (database or data near2 base) adj management adj system\$1 or RDBMS   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:26 |
| S3    | 711   | OLAP or (on\$1line near2 analytical near2 process\$5)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:27 |
| S4    | 118   | S1 and S2 and S3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:27 |
| S5    | 67578 | S1 or S2 or S3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:37 |
| S6    | 1     | S5 and (pre\$1process\$3 near4 data with key\$1 same date\$1 same (data near2 warehouse))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:39 |
| S7    | 0     | S5 and (pre\$1process\$3 near4 data with key\$1 same date\$1 same (repository or database or data near2 base or data near2 mining))    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:40 |
| S8    | 0     | S5 and (pre\$1process\$3 near4 data with key\$1 same date\$1 and (repository or database or data near2 base or data near2 mining))     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:40 |
| S9    | 0     | S5 and (pre\$1process\$3 near4 data with (key\$1 and date\$1) and (repository or database or data near2 base or data near2 mining))    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:40 |
| S10   | 1326  | S5 and ( data with (key\$1 and date\$1) and (repository or database or data near2 base or data near2 mining))                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:41 |
| S11   | 219   | S5 and ( data with (key\$1 and date\$1) and (repository or database or data near2 base or data near2 mining) and RDBMS)                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/01 18:41 |
| S12   | 257   | object near5 (database or data near2 base) and (primary near2 key\$1) and (RDBMS or relational adj database adj management adj system) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/04 14:04 |
| S13   | 116   | S12 and (trig\$5 or log near3 scrap\$3)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/04 11:35 |
| S14   | 0     | S12 and ((trig\$5 and log near3 scrap\$3) same view)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/04 11:34 |
| S15   | 0     | S12 and ((trig\$5 and log near3 scrap\$3) and view)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/04 11:35 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S16 | 0   | S12 and ((trig\$5 and log near3 scrap\$3))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/04 11:35 |
| S17 | 0   | S12 and ((trig\$5 with log near3 scrap\$3))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/04 11:35 |
| S18 | 28  | S12 and ((trig\$5 or log near3 scrap\$3) same view\$1)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/04 12:22 |
| S19 | 8   | ("5530829"   "6044368"   "6112240"   "6209000"   "6222535").<br>PN. OR ("6633878").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 11:40 |
| S20 | 14  | ((("5381332") or ("5515098") or ("5696906") or ("5765142") or<br>("5799286") or ("5822410") or ("5884284"))).PN.                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/04 12:23 |
| S21 | 97  | ("5155591").PN. OR ("5515098").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:24 |
| S22 | 16  | ("4734564"   "5491742"   "5594791"   "5615408"   "5644619").<br>PN. OR ("5822410").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:43 |
| S23 | 585 | (ROLAP or OLAP) and (data near5 warehous\$5)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:47 |
| S24 | 377 | (ROLAP or OLAP) and (data near5 mining)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:47 |
| S25 | 720 | S23 or S24  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:47 |
| S26 | 207 | S25 and (data near5 transform\$3 or cleans\$3)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:48 |
| S27 | 505 | S25 and (data near5 transform\$3 or cleans\$3 or extract\$3)  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:48 |
| S28 | 10  | S27 and (primary near3 key\$1 same RDBMS)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:55 |
| S29 | 161 | histor\$5 near5 data near5 warehouse  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:56 |
| S30 | 2   | histor\$5 near5 data near5 warehouse same RDBMS   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:56 |
| S31 | 46  | ("5398300"   "5586218"   "5615341"   "5692107").PN. OR<br>("5970482").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 12:57 |
| S32 | 7   | ("20020016935"   "20020078039"   "20020083067"   "5970482"<br>  "6108004"   "6240411"   "6324533").PN. OR ("6820089").<br>URPN. | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 13:03 |
| S33 | 8   | ("5970482"   "6081788"   "6157926"   "6542894"   "6629095"  <br>"6687693"   "6704717"   "6718338").PN. OR ("6799181").URPN.     | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/06/04 13:18 |
| S34 | 4   | ((("6799181") or ("6629095"))).PN.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/04 13:19 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S35 | 8   | ("5970482"   "6081788"   "6157926"   "6542894"   "6629095"   "6687693"   "6704717"   "6718338").PN. OR ("6799181").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:19 |
| S36 | 9   | ("5970482"   "5991751"   "6185549"   "6185559"   "6185561"   "6439783"   "6516308"   "6516310").PN. OR ("6629095").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:31 |
| S37 | 37  | S27 and (object near5 data and primary near3 key\$1)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:45 |
| S38 | 12  | ("20020099691"   "5832496"   "5987454"   "5991742"   "6032158"   "6272598"   "6339775"   "6446062"   "6493800"   "6601062"   "6629102"   "6636870").PN. OR ("6895471").URPN. | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:35 |
| S39 | 10  | S27 and (object near5 data and primary near3 key\$1 and RDBMS)   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:47 |
| S40 | 0   | creat\$3 near5 (data near3 (warehous\$3 or mart\$1 or repositor\$3) same RDBMS same key\$1 )   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:48 |
| S41 | 0   | creat\$3 near5 (data near3 (warehous\$3 or mart\$1 or repositor\$3) same RDBMS )   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:48 |
| S42 | 720 | creat\$3 near5 (data near3 (warehous\$3 or mart\$1 or repositor\$3) )  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:49 |
| S43 | 2   | creat\$3 near5 (data near3 (warehous\$3 or mart\$1 or repositor\$3) ) same RDBMS same key\$1   | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:49 |
| S44 | 22  | creat\$3 near5 (data near3 (warehous\$3 or mart\$1 or repositor\$3) ) and RDBMS same key\$1  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/06/04 13:50 |
| S45 | 92  | S12 and (trig\$3 or log\$5 near7 (date or timestamp))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/04 13:55 |
| S46 | 83  | S12 and (trig\$3 or log\$5 near7 (date or timestamp) same RDBMS)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/04 13:55 |
| S47 | 165 | S12 and (transform\$3 or cleans\$5 or extract\$4 near5 (data or object))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/04 14:11 |
| S48 | 125 | ((extract\$5 or generat\$5) near5 (data or object) same key\$1) and RDBMS  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/04 14:13 |
| S49 | 67  | ((extract\$5 or generat\$5) near5 (data or object) same key\$1 same warehouse or mart) and RDBMS   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/04 14:13 |

|     |     |  |                              |    |    |                  |
|-----|-----|--|------------------------------|----|----|------------------|
| S50 | 135 | ("20020065752"   "4953085"   "4972504"   "4989141"   "5101352"   "5128861"   "5168445"   "5189608"   "5204821"   "5235680"   "5237499"   "5270922"   "5347632"   "5457904"   "5500793"   "5502637"   "5555403"   "5572644"   "5590181"   "5664115"   "5684992"   "5692181"   "5701451"   "5706442"   "5710889"   "5717923"   "5732216"   "5740429"   "5740829"   "5748959"   "5754858"   "5754939"   "5758351"   "5765028"   "5771172"   "5781735"   "5787278"   "5794246"   "5799156"   "5806050"   "5809483"   "5812987"   "5819293"   "5832451"   "5848397"   "5852811"   "5852819"   "5854746"   "5857191"   "5864827"   "5864828"   "5867153"   "5870746"   "5872921"   "5880726"   "5884285"   "5890140"   "5893079"   "5893905"   "5907837"   "5911135"   "5911136"   "5913202"   "5914878"   "5918217"   "5918225"   "5918232"   "5920848"   "5931900"   "5933816"   "5940818"   "5946666"   "5946711"   "5956693"   "5960437"   "5963641"   "5974406"   "5974441"   "5978766"   "5987586"   "5995945"   "5999526"   "6012066"   "6012083"   "6016478"   "6021397"   "6038561"   "6047327"   "6078994"   "6081815"   "6094651"   "6101443"   "6108686"   "6119095"   "6122628"   "6122636"   "6134563"   "6151582"   "6154527"   "6163774"   "6167379"   "6181935"   "6182153"   "6233609"   "6236977"   "6253146"   "6256659"   "6279033"   "6279038"   "6289352"   "6292811"   "6301590"   "6304850"   "6314402"   "6314533"   "6317750"   "6336124"   "6477549"   "6480842").<br>PN. OR ("6567796").URPN. | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:24 |
| S51 | 47  | (histor\$4 or log or report) near7 data near3 (warehouse or mart or depositor\$3) and RDBMS  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:31 |
| S52 | 1   | data near5 transform\$3 with primary near3 key\$1 and RDBMS  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:36 |
| S53 | 0   | data near5 cleans\$3 with primary near3 key\$1 and RDBMS   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:36 |
| S54 | 13  | data near5 extract\$3 with primary near3 key\$1 and RDBMS  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:37 |
| S55 | 0   | data near5 transform\$7 same log same report same RDBMS  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:38 |
| S56 | 11  | data near5 transform\$7 same RDBMS same warehouse same mart  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:38 |
| S57 | 16  | ("5588150"   "5630120"   "5668987"   "5806061"   "6012054"   "6052689"   "6065007"   "6092062"   "6108658"   "6178449"   "6205441"   "6327587"   "6343288"   "6366901"   "6460045"   "6470330").PN. OR ("6847978").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:39 |
| S58 | 10  | ("5794246"   "6014670"   "6032158"   "6044374"   "6208990"   "6339775"   "6438552"   "6449619"   "6549910"   "6553366").<br>PN. OR ("6789096").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:42 |
| S59 | 39  | ("4677569"   "4714995"   "4862357"   "4875155"   "5006978"   "5113499"   "5187787"   "5201046"   "5220501"   "5225990"   "5231670"   "5253166"   "5255184"   "5257366"   "5278978"   "5311425"   "5317568"   "5319773"   "5347632"   "5381534"   "5390314"   "5416917"   "5450581"   "5537533"   "5560005"   "5564113"   "5570283"   "5586312"   "5628011"   "5680618"   "5692174"   "5758149"   "5794229"   "5839114"   "5956707"   "6115711"   "6122642"   "6438538"   "6622152").PN. OR ("6714945").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2005/06/04 14:46 |
| S60 | 5   | ("6366901").URPN.  | USPAT                        | OR | ON | 2005/06/04 14:52 |